

Covid-19: Twelve Months Later (Dec.2019-Dec.2020)

Almoez LeDin Ellah MS Eltouny*

The National Center for Research, Egypt

***Corresponding Author:** Almoez LeDin Ellah MS Eltouny, The National Center for Research, Egypt.

Received: January 01, 2021; **Published:** January 30, 2021

Abstract

Our studies on the New Corona Virus started early in January 2020. It then became Covid-19. This study determined its vibrational characteristics, its power, different types, and its effects on humans. Our conclusions indicated that this virus manifested itself in three different energy types: I, II and III., with three distinct energy patterns. Our conclusion was that it attacks the Respiratory system, especially Type I, which is the most Virulent. The fight against this virus continued unabated, until vaccines were designed to fight it, and then came the calls of a new variant. Our studies, until now, indicate that this variant is still Type II, only streamlined, for easier transmission, but no new changes of the Type II energy patterns. Vaccines, as shown, may not be effective against Type I. We should monitor the other types; I and III, for any changes or variations, in the near future. Only if energy patterns change, should we be faced with a new Genotype.

Keywords: Covid-19; Corona Virus; Respiratory System

Introduction

The New Corona Virus which became named as Covid-19 became infamous throughout the fleeting 2020.

It spread all over the World like a whirl wind, no one was able to predict or control its wave like spread. Each day brought a new revelation about that virus and its deadly spread through the World. Our previous study on this new virus concluded that it is composed of three different strains, which we labeled as type I, Type II and Type three. Our findings indicated that type I would prove to be the most deadly, followed by type II, while type III was serious but could pass as a mild cold, even when left untreated. To us, the waves hitting the Europe, especially Italy, France and Germany, in the Spring and Summer of 2020, appeared to be mainly Type II with a large percentage of Type I. New York in the U.S.A, was also hit severely and probably by Type I and Type II. This is indicated by the large death rate and the deteriorating conditions of the infected patients. In our system of Classification of Viruses, the energy characteristics of each type reflected its power and ability to inflict harm on the patient.

Type I	Type II	Type III
Q=- 32	Q=- 28	Q=- 24
Yn=- 32	Yn=- 28	Yn=- 24
Yg=- 32	Yg=- 28	Yg=- 24
Ω =- 12	Ω =- 10	Ω =- 8

In our original study, Type I was the most dangerous with decreasing danger moving to Type II and then the least dangerous was Type III. We could identify the types of the Covid-19 Virus by the energy emanating from the patient. Regrettably, all the modifications made on the PCR testing failed to indicate which of the types that affected the patient. This, in our view is another drawback of not using the energy system in treatments.

Procedure

1. In the third part of December 2020, reports were circulating that a new variant of Covid-19, is evolving which is spreading faster among the population, but may not have the same effects as previously discovered. The main factor is that it spreads faster, i.e. it will affect more people in the same amount of time, with whatever logistical complications that that will entail. The Hospitals are already full and loads of patients are pouring in especially after the Christmas surge, as most of the population did not heed warnings to stay home and travel and visit. We are now hearing of this new strain appearing in Colorado today probably somewhere in the Mid-west tomorrow. The initial scare of the appearance of Covid-19 and the mishandling of the pandemic is scaring people to jump to various conclusions.
2. The question to ask is, are there any energy differences between the old types: i.e. Types I, II and III and the new and variant type which is just appearing on the horizon? This has to be carefully studied and the differences identified and discussed. We were able to obtain specimen of this new variant and started to check its energies. The new energies we obtained are as follows:
 - Type V (variant)
 - $Q = -28$
 - $Y_n = -28$
 - $Y_g = -28$
 - $\Omega = -10$.

These results are similar to the original type II. That is the energies are not different than the types already identified and they are affected by the cure which we designed for Covid-19, and there was no indication of any resistance to the cure, it worked just as well. It is interesting to note that the other two types, ie types I and III, did not manifest any variant until now.

If this is any indication, the cures designed should work on any new variant, since the energies have not been changed.

Results

- a) If the Covid-19 virus is being transmitted more easily, it appears to have been stream lined to move faster and influence more people. The ease by which it moved all around the world has streamlined it and made faster to infect patients.
- b) The most important conclusion is that the energies of the type have not changed, that is no change in the power of the type, it has not mutated. The cures designed for the old types still work as efficiently as designed. However, if the energies of the Types change, then we will have a new virus on our hands.
- c) We have to monitor the changes in the covid-19 and its symptoms, so that if any abnormalities or differences in the ailment characteristics occur, we should be ready for that.

Discussion and Conclusion

1. Our new studies do not indicate that the variant of Covid-19 is more dangerous, but that it spreads faster, it also responds to medications designed to eliminate it.
2. We do not see any evidence that other types, other than Type II have been affected, until now, and that may change soon.
3. We have to be on guard for any changes in the energies of the Covid-19 or if the symptoms become different from what have been already noted.
4. Vaccine designers have to check whether or not their vaccines are as effective against this new variant, or the coming variants.
5. The vaccines.

A very important development is the late introduction of several competing vaccines. The AstraZeneca version proclaims that it is 95% effective. The Oxford University vaccine, also proclaims, somewhere between 94 and 95 %, effective. The American Vaccine, by Moderna, is also touted at around 95% effective. The Russian vaccine is indicated at probably 95% effective, while the Chinese vaccine is less effective at 79.5% effective, and being propagated as the poor people vaccine, it is or will be, distributed by the Government of China to the poorer nations, as a gift or for a nominal cost.

We have checked one of these vaccines, the AstraZeneca one, and found it to be around 94% effective, but our testing is slightly different. We have categorized the Covid-19 Virus as being of three different types, differentiated by the difference in their energy level, which in turn affects the severity of the symptoms, together with other factors. It appears that in reality the virus may be divided into three types by numbers; about 5% Type I, about 20to 25% Type II, and the remaining 70% as type III, which may not be as dangerous or harmful to human beings. It needs rest and some fever reduction medication and close observation.

Our study on Vaccines, we used the Vibrational Theories controlling the use of herbs. Citing from our manuscript on the Covid-19 herbal vaccine [3], that the positive anti- vaccine energy to prevent the covid-19 virus from invading a host patient, is $Q=7$, so if the vaccine gives an energy less than $Q=7$, it will not prevent the virus from entering the host patient. None of the vaccines tested could prevent Type I Covid-19 virus, from entering the host body. This means that they will not be able to prevent about 5% of the infections: the Type I, is 5%. It appears to me, from my research and findings, most of these vaccines will not prevent the deadliest type I, but probably ameliorate the symptoms, but will not prevent infection. As long as the current medical science does not acknowledge that there are three Types of Covid-19, the vaccines may not become 100% effective.

When would the vaccines become effective after the vaccination shot

One of the questions being asked, although not enough time was given to that question, is how long does the vaccine take to become effective? Our question was partially answered early this morning, European time, it was broadcast that one ER nurse in Texas, who was vaccinated about eight days ago, was diagnosed with Covid-19 eight days after Vaccination. We studied the specimen of the patient, and it appeared to have Covid-19 Type I, which confirms our hypothesis that Type I is not covered by any of the Chemically based Vaccines. This nurse had taken only one shot from the double shot vaccination dose. It could be that two shots are needed before some form of immunity is formed [1-5].

Main conclusions and results

1. Until now, the new variant, is just a streamlined version of type II, and has not indicated any new energy signature. This may explain the spreadability of this variant.
2. Our designed herbal cure is still 100% effective on all three types of the Covid-19.
3. All Vaccines that have been designed until now, may not be effective against Type I, which is the 5% that they do not cover. The Chinese Vaccine may be more deficient in several aspects.
4. Types I and III have not yet manifested any variations but may do so sooner than expected. However, if the energy signatures do not change from the old ones, it is still Covid-19.

Bibliography

1. Eltouny Almoez. "The Description of Viruses according to Vibrational Herbal Medicine and the Laws of Ancient Wisdom". *Fortune Journal. Archives of Clinical and Medical Case Reports*.
2. Eltouny Almoez. "The Treatment of the New Corona Virus". *EC Clinical and Medical Case Report* (2020).
3. Eltouny Almoez. "Vibrational Herbal Vaccine for Covid-19". *EC Clinical and Medical Case Reports* 3.8 (2020).
4. Eltouny Almoez. "Laws of Ancient Wisdom". Published in *Explore Magazine*, Prescott, Arizona 10 (2001).
5. Nurse who tested positive days after vaccine is reminder protection not instant, 2 doses needed.

Volume 4 Issue 2 February 2021

© All rights reserved by Almoez LeDin Ellah MS Eltouny.